

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

CASS et al

Serial No. 10/055,367

Filed: January 25, 2002

For: BIOSENSOR DETECTOR ARRAY



Atty. Ref.: 620-183

Group:

Examiner:

* * * * *

May 15, 2002

Honorable Assistant Commissioner of Patents
Washington, DC 20231

Sir:

AMENDMENT

Responsive to the Notice dated March 15, 2002, entry and consideration of the following amendments and remarks are requested.

IN THE SPECIFICATION:

Amend the specification as follows:

Insert the attached Sequence Listing in place of the Sequence Listing filed with the original application.

IN THE FIGURES:

Insert the attached revised/formal drawings for the originally-filed drawings.

REMARKS

Reconsideration is requested.

Acknowledgment of receipt of the certified copy of the priority document filed March 22, 2002, in the Examiner's next Communication is requested.

The specification has been amended to include the attached Sequence Listing. The attached paper and computer readable copies of the Sequence Listing are the same. No new matter has been added. A separate Statement to this effect is attached.

A copy of the Notice dated March 15, 2002 is attached.

The specification has been revised to include the attached formal/amended drawings.


Nothing further is believed to be required in response to the attached Notice, however, the office is requested to advise the undersigned if otherwise.

An early and favorable Action on the merits is requested.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____



B. J. Sadoff
Reg. No. 36,663

BJS:pb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100